The Imperial



The "Imperial" (Grade E)

A reliable and well-made instrument at a moderate price, a very popular model with amateurs. Perfect in every detail of construction, and hand-made throughout. Has a clear, bright tone, powerful in volume. The fittings are of the same standard of quality as used on the more expensive instruments.



SPECIFICATION

HANDLE.—The handle is constructed from well-seasoned Mahogany, the fingerboard of $\frac{1}{4}$ -inch Ebony is laid on veneers of Maple and Ebony, all positions and peghead are handsomely inlaid with mother of pearl artistically engraved.

Fretted with 22 frets to C. Length of handle from nut to hoop, $19\frac{1}{4}$ inches. Length of handle from nut to bridge, $26\frac{1}{2}$ inches. Width of handle at nut, $1\frac{1}{4}$ inches. Width of handle at hoop, $1\frac{2}{6}$ inches.

PEGS.—Patent non-slipping pegs, with black buttons.

As used on the higher grade instruments.

HOOP.—The hoop is 11 inches in diameter, made of hard brass, nickel-plated $2\frac{1}{2}$ inches deep, spun top and bottom over thick wire. The wooden lining is of selected Beech.

METAL WORK.—The top-band, or bezel, is of hard solid brass, slotted to take the 20 tension wires. The shoes through which the tension wires pass are fixed to the hoop by hexagon nuts. All metal work is heavily nickel-plated.

VELLUM.—Fitted with "S.X." Reliable Vellum of finest quality.

BRIDGE.—Fitted with the "Grover" Non-tip $\frac{1}{2}$ -inch Bridge.

TAILPIECE.—Plated tailpiece, wide to prevent strings slicing the bridge, with pressure bar, fitted by bolt and nut to the tailpiece-bolt screwed into the perchpole.

Price - 10 guineas

May be purchased by instalments.

ALL CASES EXTRA. FOR PARTICULARS SEE PAGE 37

Clifford Essex catalogue from 1928.

